

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	51	print\$4 adj press print\$4 adj unit forme\$4 adj cylinder transfer \$4 adj cylinder drive adj connection motor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 14:16
S2	11	print\$4 adj press print\$4 adj unit forme\$4 adj cylinder transfer \$4 adj cylinder drive adj connection motor ((two adj side\$4) or first adj side)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/17 16:34
S3	1371	101/216.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 13:38
S4	18	S3 and first with operating with side	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 14:04
S5	1	S3 and first near4 operating near4 side	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 14:58
S6	48	S3 and first near4 operating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 14:59

S7	51	print\$4 adj press print\$4 adj unit forme\$4 adj cylinder transfer \$4 adj cylinder drive adj connection motor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 14:59
S8	8	S7 and first with operating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 14:59
S9	1	print\$4 adj press (first near3 operating) with (drive adj connect \$4) with (drive adj motor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 15:08
S11	3	print\$4 adj press side with (drive adj connect\$4) with (drive adj motor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 15:09
S12	7	print\$4 adj press (front or side or face) with (drive adj connect\$4) with (drive adj motor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 15:10
S13	1	print\$4 adj press (first near3 side) with (drive adj connect\$4) with (drive adj motor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 15:43
S14	2	"5,577,800".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 16:42
S15	0	elongated adj knob with unthreaded	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 16:43

S16	8	elongated adj knob with \$4threaded	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/22 16:43
S17	1889	space\$4 near5 lateral near3 frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 14:24
S18	29	space\$4 near5 lateral near3 frame print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 14:24
S19	412	lateral near3 frame print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 14:27
S20	101	lateral near3 frame print\$4 adj press forme adj cylinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 14:27
S21	0	lateral near3 frame print\$4 adj press forme adj cylinder with attach\$4 with frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 14:37
S22	16	lateral near3 frame print\$4 adj press forme adj cylinder with fix \$4 with frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 14:38

S23	1	printing adj unit forme adj cylinder with transfer adj cylinder lateral adj frames connect\$4 adj point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 15:56
S24	54	print\$4 forme adj cylinder with transfer adj cylinder lateral adj frames with cylinder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 16:29
S27	260	(draw-in or feed or guide) with (roll \$4 or device) with connect\$4 with frame print \$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 09:16
S28	103	(draw-in or feed or guide) with (roll \$4 or device) with connect\$4 near3 frame print \$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 09:18
S29	6	(draw-in or web near3 feed or web near3 guide) with (roll\$4 or device) with connect\$4 near3 frame print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 09:58
S30	9	(draw-in or web with feed or web with guide) with (roll\$4 or device) with connect\$4 near3 frame print \$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 10:07
S31	0	material near3 supply with (roll \$4 or device) with connect\$4 near3 frame print \$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 10:12

S32	1	material near3 supply with connect\$4 near3 frame print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 10:32
S33	3	web near3 supply with connect\$4 near3 frame print \$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 10:33
S34	2794	(paper or web or material or product) near3 suppl\$4 with (fix \$4 or connect\$4 or mount\$4) with frame	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 10:36
S35	106	(paper or web or material or product) near3 suppl\$4 with (fix \$4 or connect\$4 or mount\$4) with frame print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 10:38
S36	2	"6,408,746".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 11:35
S37	100	product with delivery with device print\$4 adj press (print\$4 or imprint\$4) fold\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 12:50
S38	42	product near3 delivery near3 device print\$4 adj press (print\$4 or imprint\$4) fold\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 13:12

S39	80	print\$4 adj press with operating near3 side	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 14:11
S40	1	linear with travers \$4 with device with connect\$4 with print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 15:18
S41	1044	device with connect\$4 with print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 15:28
S42	172	device with connect\$4 with two with print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/29 15:32
S43	3	(linear or straight) near3 device with (attach\$4 or connect\$4) with two with print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 09:53
S44	12	(linear or straight) with (attach\$4 or connect\$4) with two with print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 09:54
S45	822	(bar or device or beam or apparatus) near5 connect\$4 near5 two near5 print\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 10:16

S46	9	(straight or flat or direct) near5 (bar or device or beam or apparatus) near5 connect\$4 near5 two near5 print\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 10:33
S47	228	print\$4 adj press with longitud\$4 near3 (axis or axes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 10:45
S48	64	print\$4 adj press with longitud\$4 near3 (axis or axes) with parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 10:58
S49	1	((first second) or two) near5 print \$4 adj press with longitud\$4 near3 (axis or axes) with parallel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 11:02
S50	5793	print\$4 adj unit with connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 11:22
S51	169	(first and second) with print\$4 adj unit near3 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 11:34
S52	2	"6,779,446".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:10
S53	2	"6,644,184".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:10

S54	2	"6408748".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:12
S55	2	"6289805".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:12
S56	2	"6950538".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:12
S57	2	"5950538".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:13
S58	2	"5117753".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:14
S59	1	"5117753".pn. print\$4 adj (unit or press) connect \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:14
S60	0	"5117753".pn. print\$4 adj (unit or press) near5 connect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/30 13:14
S61	3941	connect\$4 with ((first near3 second) or multiple or two or pair) with print\$4 near3 (press or unit or module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 12:57

S62	25	(linear or straight) with connect\$4 with ((first near3 second) or multiple or two or pair) with print\$4 near3 (press or unit or module) with (device or bar or shaft or tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:01
S63	12	(linear or straight) with connect\$4 with ((first near3 second) or multiple or two or pair) with print\$4 near3 (press or unit or module) with (device or bar or shaft or tube) print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:04
S64	12	(linear or straight) with connect\$4 with ((first near3 second) or multiple or two or pair) with print\$4 near3 (press or unit or module) with (device or bar or shaft or tube or beam) print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:11
S65	0	straight near3 (connect\$4 or attach\$4 or hook \$4) near3 (two or multiple or (first and second)) near3 print\$4 near3 (unit or device or press or module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:18

S66	869	(connect\$4 or attach\$4 or hook \$4) near3 (two or multiple or (first and second)) near3 print\$4 near3 (unit or device or press or module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:25
S67	164	S66 (straight or linear)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:29
S68	22	S66 (straight or linear) print\$4 adj press	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:51
S69	2057	bernard.in. "2005".ay.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:55
S70	9	bernard.in. "2005".ay. printing adj machine.ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:57
S71	6	bernard.in. (printing machine system).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/12 13:58
S72	779	101/227.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/14 16:35

S73	689	101/219.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/14 16:35
-----	-----	---------------	---	-----	----	---------------------

2/ 14/ 2008 4:46:42 PM

C:\ Documents and Settings\ dbanh2\ My Documents\ EAST\ Workspaces\ 10562468.
w sp